

Our ref: FOI ID 35254

17 March 2017

[southseftonccg.foi@nhs.net](mailto:southseftonccg.foi@nhs.net)

**NHS South Sefton CCG**

Merton House

Stanley Road

Bootle

Merseyside

L20 3DL

Tel: 0151 247 7000

## **Re: Freedom of Information Request**

Please find below the response to your recent Freedom of Information request regarding provision of assistive devices and equipment and hip precautions services within NHS South Sefton CCG.

### Request/[Response](#):

We are interested in conducting a research project that would assess the effects of providing assistive devices and hip precautions following total hip replacement (THR) on patients' functioning and mobility post-operatively.

We are aware that certain hospitals have proceed to discontinue the provision of these devices and/or precautions but we do not know which ones so we would like to have a list of all sites that have done so in the UK.

NHS England informed us that they are unable to respond satisfactorily to our enquiry or provide us with appropriate information as they do not commission secondary care services such as hospital services but Clinical Commissioning Groups do. Therefore, they suggested we contact the relevant Clinical Commissioning Group regarding our enquiry.

[NHS South Sefton CCG does not specifically commission this but are aware that some providers do undertake training to teach patients precautions. You may wish to redirect your query to the provider to understand the pathway of care.](#)

[Aintree University Hospitals NHS Foundation Trust](#)  
[FOIrequests@aintree.nhs.uk](mailto:FOIrequests@aintree.nhs.uk)

Chair: Dr Andrew Mimmagh  
Chief Officer: Fiona Taylor